



Mr. Gerald Spud Brown  
G3-29195  
Page 2  
February 9, 2012

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel Road SW Suite 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website:  
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State Legislature  
Website: <http://www.l.wa.gov/CodeReviser> .

If you have any questions, please contact Kevin Brown at 509-3293422.

Sincerely,



Keith L. Stoffel  
Section Manager  
Water Resources Program  
Eastern Regional Office

KLS/KB:md

W: Extensions/letters/Brown/2012/Brown G3-29195 and G3-29201 2-09-2012.doc

Enclosures: *Construction Notice*  
*Your Right to Be Heard*

I certify that I mailed this letter or an identical copy thereof, postage prepaid, to the above  
addressee(s) this 9th day of Feb, 2012.  
Water Resources Program, Secretary Senior, Molly A. Davis MD.